Shandong Xusheng Optoelectronic Technology Co., LTD
山东旭昇光电科技有限公司
No. 48, Huzhou Road, Dongying City, Shandong Province
山东省东营市湖州路 48 号

Be a disseminator of light and create value for customers and society

Website：

Product photo	NO.	specification	Size（MM）	Power（W）	Packing quantity	Packing size（MM）	G.W (KG)
	GHXN01-09	High efficacy up to 2.5-2.7 umol/J Number of lamp beads: 144pcs PF: 0.9 Voltage: 85-265 V Spectrum:Red(660nm) +white(6000k) 1:4 IP65 Waterproof 3 Years warranty	900*28*28	18W	30	1100*290*260	10KG
	GHXN02-09	High efficacy up to 2.2-2.4 umol/J Number of lamp beads: 120pcs PF: 0.9 Voltage: 85-265V Spectrum:Red(660nm)+white(6000k) 1:4 IP65 Waterproof 2 Years warranty	900*23	16W	30	1100*290*260	10KG
	GHXN03-09	High efficacy up to 2.0-2.2 umol/J Number of lamp beads: 72pcs PF: 0.5 Voltage: 185-245V Spectrum:Red(660nm)+Blue(450nm)+white(6000k)1:1:3 IP65 Waterproof 2 Years warranty	900*23	16W	30	1100*290*260	10KG

Notice


1.All the above power supplies adopt high-P non-frequency lightning sources

2.The production and inventory preparation cycle is 15 to 30 days, which can be adjusted according to the quantity

3. Payment Method: A 40% deposit is required in advance, and the balance should be paid in full before shipment

4. The above quotations do not include tax or transportation

5.Products can be customized according to customer requirements

Grow Light Tube-plant factory(120)							
Product photo	NO.	specification	Size （MM）	Power （W）	Packing quantity	Packing size（MM）	G.W (KG)
	GHXN01-12	High efficacy up to2.5-2.7 umol/J Number of lamp beads: 192pcs PF:0.9 Voltage: 85-265 V Spectrum:Red(660nm)+white(6000k) 1:4 IP65 Waterproof 3 Years warranty	1200*28*28	24W	25	1320*22*21	9KG
	GHXN02-12	High efficacy up to2.2-2.4 umol/J Number of lamp beads: 120pcs PF:0.9 Voltage: 85-265V Spectrum:Red(660nm)+white(6000k) 1:4 IP65 Waterproof 2 Years warranty	1200*23	22W	25	1320*22*21	9KG
	GHXN03-12	High efficacy up to2.0-2.2 umol/J Number of lamp beads: 96pcs PF:0.5 Voltage: 185-245V Spectrum:Red(660nm)+Blue(450nm)+white(6000k)1:1:3 IP65 Waterproof 2 Years warranty	1200*23	18W	25	1320*22*21	9KG

Notice

1.All the above power supplies adopt high P active frequency lightning sources

2.The production and inventory preparation cycle is 15 to 30 days, which can be adjusted according to the quantity

3.Payment Method: A 40% deposit is required in advance, and the balance should be paid in full before shipment

4.The above quotations do not include tax or transportation

5.Products can be customized according to customer requirements

Grow Light Tube-plant factory(150)							
Product photo	NO.	specification	Size （MM）	Power （W）	Packing quantity	Packing size	G.W (KG)
	GHXN01-15	High efficacy up to 2.5-2.7 umol/J Number of lampbeads: 240pcs PF:0.9 Voltage: 85-265 V Spectrum:Red(660nm)+white(6000k) 1:4 IP65 Waterproof 3 Years warranty	1500*28*28	32W	25	1600*220*210	12.2KG
	GHXN02-15	High efficacy up to 2.2-2.4 umol/J Number of lamp beads:150pcs PF:0.9 Voltage: 85-265V Spectrum:Red(660nm)+white(6000k) 1:4 IP65 Waterproof 2 Years warranty	1500*23	26W	25	1600*220*210	12.2KG
	GHXN03-15	High efficacy up to 2.0-2.2 umol/J Number of lamp beads:120pcs PF:0.5 Voltage: 185-245V Spectrum:Red(660nm) +Blue(450nm)+white(6000k)1:1:3 IP65 Waterproof 2 Years warranty	1500*23	26W	25	1600*220*210	12.2KG

Notice

1. All the above power supplies adopt low-P power supplies

The production and inventory preparation cycle is 15 to 30 days, which can be adjusted according to the quantity

3. Payment Method: A 40% deposit is required in advance, and the balance should be paid in full before shipment

4. The above quotations do not include tax or transportation

5.Products can be customized according to customer requirements